

## **Multimode Cables**

• Any combination of connectors, fibers, and cables

• 100% Testing

Insertion Loss Return Loss Endface Geometry Polish Quality

• Proprietary epoxy curing for surviving harsh environments

• Built in the USA with quality components

• ISO 9001 Certified











## **Connectors**

Connectors	E-2000	FC, QFC	LC	MU	sc	SMA	ST	1.25mm Ferrule	1.8mm Capillary	2.5mm Ferrule	3.2mm Ferrule
Polish		APC, UPC Flat Angle		APC, UPC	APC, UPC	UPC	UPC	APC, UPC	APC, UPC	APC, UPC	APC, UPC
Туре	Push/Pull	Screw on	Push/Pull	Push/Pull	Push/Pull	Screw on	Bayonet	Ceramic Stainless	Borosilicate	Ceramic Stainless Borosilicate	Stainless

Fibers	Typical va	alues										
Core/Cladding (um)	50 125	62.5 125	100 140	100 140	50 125	105 125	200 3	330	400	600	800	1,000
Index	Graded	Graded	Graded	Step	Step							
Attenuation (dB/km)	2.3@850 0.6@1300	_	4.0@850 1.5@1300	6.0@850 3.0@1310	Low OH: 15dB @ 400nm 1.0dB @ 1,000 to 1,800nm, 200dB @ 2,200nm High OH: 300dB @ 250nm 1.0dB @ 400 to 900 and 1,000 to 1,100nm							
Numerical Aperture	0.20	0.275	0.29	0.29	0.12							

## Cables

Guistos								
OD	900um	1.6mm	2mm	3mm	3.8mm	5mm	5.8mm	7mm
Jacket Material	Hytrel PVC PVDF PTFE	PVC	PVC PVDF Polyurethane	PVC PVDF Polyurethane Stainless	Stainless	Stainless Plastic	Stainless w/ Silicone	Stainless
Strength Member	None				Kevlar			

## **Performance**

Core Size	50 to 105	150 to 1000				
Insertion Loss (dB)	<0.2 (0.05 Avail)*	<1.0*				
Return Loss (dB)	APC ≥60, UPC ≥50*	-				

<sup>\*</sup> Insertion and return loss specifications do not apply to SMA connectors

Coastal Connections custom engineers multimode cables to the tightest specifications in the industry.