


Kokyo

株式会社 光響

Email : info@symphotony.com

Web : <https://www.symphotony.com/>



WAVE
s p e c t r u m

CATALOG

Turnkey Fiber Coupled Diode Laser System



Product Portfolio

630nm 633nm
635nm 638nm
640nm 650nm
653nm 660nm
670nm 680nm
685nm 690nm

Red Laser

705nm
730nm 755nm 760nm
770nm 780nm 785nm
790nm 808nm 820nm
830nm 850nm 860nm
880nm 905nm 915nm
940nm 960nm 980nm
1064nm

IR Laser

505nm 510nm
520nm 525nm
532nm

Green Laser



Laser Diode

Fiber Coupled Laser Module

Fiber Detachable Laser Module

Laser System

425nm
435nm 445nm
450nm 455nm
460nm 465nm
473nm 480nm
488nm 495nm

Blue Laser

375nm
395nm 400nm
405nm 410nm
413nm

UV Laser

1270nm
1290nm 1310nm
1330nm 1350nm 1370nm
1390nm 1410nm 1430nm
1450nm 1470nm 1490nm
1510nm 1530nm 1550nm
1570nm 1590nm 1610nm
1625nm 1650nm
1920nm

IR Laser



WAVESPECTRUM GROUP was founded in 1999. It is comprised by a group of experienced and innovative experts in the fields of laser physics, materials science, electronic technology and mechanical design. It has established solid cooperation with some famous universities, research institutes and laboratories.

Wavespectrum products are widely used in space science, optical communication technology, laser display, laser medical, life sciences and materials processing. With the rapid development, R&D centers and production bases have been established in China and Europe. The current plant area is 4,000 square meters, including 2,000 square meters of Class 1,000 clean workshops.

Wavespectrum products include laser diodes, fiber-coupled laser modules and fiber-coupled laser systems with wavelengths from 375nm to 1920nm. Our products are used in medical, printing, laser display, life science, laser communication and other fields. At present, the products have all passed the certifications of ROHS, REACH, CE, etc. At the same time, we have got ISO9001 quality management system certification.

Wavespectrum has world-class R&D team, and it has the world first-class production processing plants. Our products can meet the military-grade production and design standards. The products are well acclaimed world-wide, such in Germany, Austria, the United States, Japan, South Korea and other parts of the world. We have established close cooperation with a number of well-known enterprises world-wide.

Wavespectrum offers laser products with wavelength ranges from 375nm to 1920nm.

375nm	395nm	400nm	405nm	410nm	413nm	435nm	445nm	450nm	455nm	460nm	465nm	473nm
480nm	488nm	495nm	505nm	510nm	520nm	525nm	532nm	630nm	633nm	635nm	638nm	640nm
650nm	653nm	660nm	670nm	680nm	685nm	690nm	705nm	730nm	755nm	760nm	770nm	780nm
785nm	790nm	808nm	820nm	830nm	850nm	860nm	880nm	905nm	915nm	940nm	960nm	980nm
1064nm	1210nm	1270nm	1280nm	1290nm	1310nm	1330nm	1350nm	1370nm	1390nm	1410nm	1430nm	1450nm
1470nm	1490nm	1510nm	1530nm	1550nm	1570nm	1590nm	1610nm	1625nm	1650nm	1720nm	1900nm	1920nm

Pls visit our website for more detailed information: <http://en.wavespectrum-laser.com.cn>

CONTACT US

Wavespectrum Laser Group Limited

Address : 2-2-1504, 2# Haitai Innovation 6th Road, Xiqing Dist, 300392, TianJin, China

Web : www.wavespectrum-laser.com.cn

Email : sales@wavespectrum-laser.com.cn

Tel : +86-022-87931118

Fax : +86-022-86392109

Distributors Wanted World-Wide!

Product Catalogue


Single Mode Laser Diode




Multi-mode Laser Diode




Single Mode Fiber Coupled Laser Module




Multi-mode Fiber Coupled Laser Module




Single Mode Fiber Detachable Laser Module




Multi-mode Fiber Detachable Laser Module




405nm Fiber Detachable Laser Module




405nm High Power Fiber Coupled Laser Source




Medical Laser Module




Window Package High Power Laser Diode




Triplex (RGB) Fiber Coupled White Light Laser Module




Triplex (RGB) Fiber Coupled White Light Laser Source






Duplex (Dual- λ) Single Mode Fiber Coupled Laser Module



Red & Green Aiming Beam for Fiber Laser



Product Catalogue



Turnkey Fiber Coupled Diode Laser System

PRODUCT FEATURE

375nm~1920nm
 Turnkey Laser System
 SMF/PMF/MMF Optional
 1mW~50W Output Power
 Built-in TE Cooling & Driver
 90V~240V AC Input
 TTL/Analog Modulation
 Long Lifetime
 High Stability
 Customized Wavelength/Power/Fiber Type



PRODUCT OVERVIEW

Turnkey Fiber Coupled Diode Laser System is the most competitive product of WAVESPECTRUM.

We offer 375nm~1920nm Turnkey Fiber Coupled Laser Source with Single Mode Fiber (SMF), Multimode Fiber (MMF) and Polarization Maintaining Fiber (PMF) . The Output Power is from 1mW to 50W.

The Turnkey Fiber Coupled Diode Laser System contains the Fiber Coupled Laser Module, LD Driver and Temperature Control System. With an Input of 90V~240V AC, the Laser Source can be easily to get to work. To ensure the long-time reliability and power stability, each Laser System will undergo rigorous testing and aging in factory.



Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
375nm	WSLS-375-100m-M	0 ~ 100mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
395nm	WSLS-395-200m-M	0 ~ 200mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-395-1200m-M	0 ~ 1.2W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-395-003-M	0 ~ 3W	MMF	<650um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-395-005-M	0 ~ 5W	MMF	<1000um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
400nm	WSLS-400-015m-4	0 ~ 15mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-400-030m-4	0 ~ 30mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-400-015m-PM	0 ~ 15mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-400-030m-PM	0 ~ 30mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-400-400m-M	0 ~ 400mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-400-002-M	0 ~ 2W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
405nm	WSLS-405-015m-4	0 ~ 15mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-405-030m-4	0 ~ 30mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-405-050m-4	0 ~ 50mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-405-015m-PM	0 ~ 15mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-405-030m-PM	0 ~ 30mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-405-050m-PM	0 ~ 50mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-405-300m-M	0 ~ 300mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-405-400m-M	0 ~ 400mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-405-1200m-M	0 ~ 1.2W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-405-002-M	0 ~ 2W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-405-003-M	0 ~ 3W	MMF	<650um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-405-005-M	0 ~ 5W	MMF	<650um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
WSLS-405-007-M	0 ~ 7W	MMF	<650um	90V ~ 240VAC	FC/SMA	A-300	√	○	○	
410nm	WSLS-410-300m-M	0 ~ 300mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-410-002-M	0 ~ 2W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
413nm	WSLS-413-300m-M	0 ~ 300mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-413-002-M	0 ~ 2W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
445nm	WSLS-445-030m-4	0 ~ 30mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-445-040m-4	0 ~ 40mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-445-050m-4	0 ~ 50mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-445-030m-PM	0 ~ 30mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-445-040m-PM	0 ~ 40mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-445-050m-PM	0 ~ 50mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-445-050m-M	0 ~ 50mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-445-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-445-3500m-200M	0 ~ 3.5W	MMF	200um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-445-010-200M	0 ~ 10W	MMF	200um	90V ~ 240VAC	FC/SMA	A-300	√	○	○

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
445nm	WSLS-445-020-400M	0 ~ 20W	MMF	400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
465nm	WSLS-465-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-465-007-200M	0 ~ 7W	MMF	200um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-465-015-400M	0 ~ 15W	MMF	400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
473nm	WSLS-473-010m-4	0 ~ 10mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-473-020m-4	0 ~ 20mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-473-010m-PM	0 ~ 10mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-473-020m-PM	0 ~ 20mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
480nm	WSLS-480-010m-4	0 ~ 10mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-480-020m-4	0 ~ 20mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-480-010m-PM	0 ~ 10mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-480-020m-PM	0 ~ 20mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-480-050m-M	0 ~ 50mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
488nm	WSLS-488-010m-4	0 ~ 10mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-488-020m-4	0 ~ 20mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-488-030m-4	0 ~ 30mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-488-010m-PM	0 ~ 10mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-488-020m-PM	0 ~ 20mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-488-030m-PM	0 ~ 30mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-488-050m-M	0 ~ 50mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-488-350m-M	0 ~ 350mW	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-488-001-M	0 ~ 1W	MMF	<650um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
495nm	WSLS-495-010m-4	0 ~ 10mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-495-020m-4	0 ~ 20mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-495-010m-PM	0 ~ 10mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-495-020m-PM	0 ~ 20mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-495-050m-M	0 ~ 50mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
505nm	WSLS-505-010m-4	0 ~ 10mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-505-020m-4	0 ~ 20mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-505-010m-PM	0 ~ 10mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-505-020m-PM	0 ~ 20mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-505-030m-M	0 ~ 30mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-505-050m-M	0 ~ 50mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
520nm	WSLS-520-010m-4	0 ~ 10mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-520-030m-4	0 ~ 30mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-520-050m-4	0 ~ 50mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-520-010m-PM	0 ~ 10mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-520-030m-PM	0 ~ 30mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
520nm	WSLS-520-050m-PM	0 ~ 50mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-520-050m-M	0 ~ 50mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-520-300m-M	0 ~ 300mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-520-800m-M	0 ~ 800mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-520-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-520-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-520-005-200M	0 ~ 5W	MMF	200um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
525nm	WSLS-525-800m-M	0 ~ 800mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-525-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-525-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-525-005-200M	0 ~ 5W	MMF	200um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
532nm	WSLS-532-800m-M	0 ~ 800mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-532-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-532-003-M	0 ~ 3W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-532-005-M	0 ~ 5W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
630nm	WSLS-630-300m-M	0 ~ 300mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-630-002-M	0 ~ 2W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
633nm	WSLS-633-030m-4	0 ~ 30mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-633-050m-4	0 ~ 50mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-633-030m-PM	0 ~ 30mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-633-050m-PM	0 ~ 50mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-633-700m-M	0 ~ 700mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-633-002-M	0 ~ 2W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-633-005-M	0 ~ 5W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
635nm	WSLS-635-030m-4	0 ~ 30mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-635-050m-4	0 ~ 50mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-635-080m-4	0 ~ 80mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-635-100m-4	0 ~ 100mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-635-030m-PM	0 ~ 30mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-635-050m-PM	0 ~ 50mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-635-080m-PM	0 ~ 80mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-635-100m-PM	0 ~ 100mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-635-100m-M	0 ~ 100mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-635-300m-M	0 ~ 300mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-635-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-635-1800m-M	0 ~ 1.8W	MMF	200um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-635-003-M	0 ~ 3W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-635-005-M	0 ~ 5W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
635nm	WSLS-635-007-M	0 ~ 7W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-653-700m-M	0 ~ 700mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-653-002-M	0 ~ 2W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
660nm	WSLS-653-005-M	0 ~ 5W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-660-030m-4	0 ~ 30mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-660-050m-4	0 ~ 50mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-660-080m-4	0 ~ 80mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-660-100m-4	0 ~ 100mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-660-030m-PM	0 ~ 30mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-660-050m-PM	0 ~ 50mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-660-080m-PM	0 ~ 80mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-660-100m-PM	0 ~ 100mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-660-100m-M	0 ~ 100mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-660-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-660-003-M	0 ~ 3W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-660-005-M	0 ~ 5W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-660-007-M	0 ~ 7W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	670nm	WSLS-670-005m-4	0 ~ 5mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○
WSLS-670-050m-4		0 ~ 50mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
WSLS-670-080m-4		0 ~ 80mW	SMF	3um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
WSLS-670-005m-PM		0 ~ 5mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
WSLS-670-050m-PM		0 ~ 50mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
WSLS-670-080m-PM		0 ~ 80mW	PMF	3um	90V ~ 240VAC	FC/APC	A-100	√	○	○
WSLS-670-100m-M		0 ~ 100mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
WSLS-670-300m-M		0 ~ 300mW	MMF	<300um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
WSLS-670-500m-M		0 ~ 500mW	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
WSLS-670-001-M	0 ~ 1W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○	
685nm	WSLS-685-010m-4	0 ~ 10mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-685-015m-4	0 ~ 15mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-685-010m-PM	0 ~ 10mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-685-015m-PM	0 ~ 15mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-685-030m-M	0 ~ 30mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
690nm	WSLS-690-700m-M	0 ~ 700mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-690-002-M	0 ~ 2W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-690-005-M	0 ~ 5W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
705nm	WSLS-705-010m-4	0 ~ 10mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-705-015m-4	0 ~ 15mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-705-010m-PM	0 ~ 10mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
705nm	WSLS-705-015m-PM	0 ~ 15mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
730nm	WSLS-730-010m-4	0 ~ 10mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-730-015m-4	0 ~ 15mW	SMF	4um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-730-010m-PM	0 ~ 10mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-730-015m-PM	0 ~ 15mW	PMF	4um	90V ~ 240VAC	FC/APC	A-100	√	○	○
760nm	WSLS-760-1500m-M	0 ~ 1.5W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-760-004-M	0 ~ 4W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-760-010-M	0 ~ 10W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
770nm	WSLS-770-003-M	0 ~ 3W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-770-010-M	0 ~ 10W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-770-015-M	0 ~ 15W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-770-020-M	0 ~ 20W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
785nm	WSLS-785-030m-4	0 ~ 30mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-785-040m-4	0 ~ 40mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-785-030m-PM	0 ~ 30mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-785-040m-PM	0 ~ 40mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-785-050m-M	0 ~ 50mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-785-003-M	0 ~ 3W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-785-010-M	0 ~ 10W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-785-015-M	0 ~ 15W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
WSLS-785-020-M	0 ~ 20W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○	
808nm	WSLS-808-030m-4	0 ~ 30mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-808-050m-4	0 ~ 50mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-808-020m-PM	0 ~ 20mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-808-040m-PM	0 ~ 40mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-808-150m-M	0 ~ 150mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-808-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-808-004-M	0 ~ 4W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
WSLS-808-007-M	0 ~ 7W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○	
830nm	WSLS-830-030m-4	0 ~ 30mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-830-050m-4	0 ~ 50mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-830-080m-4	0 ~ 80mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-830-100m-4	0 ~ 100mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-830-030m-PM	0 ~ 30mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-830-050m-PM	0 ~ 50mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-830-080m-PM	0 ~ 80mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-830-100m-PM	0 ~ 100mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
WSLS-830-150m-M	0 ~ 150mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○	

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
830nm	WSLS-830-001-M	0 ~ 1W	MMF	50um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-830-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-830-003-M	0 ~ 3W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-830-008-M	0 ~ 8W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-830-010-M	0 ~ 10W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-830-020-M	0 ~ 20W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
850nm	WSLS-850-030m-4	0 ~ 30mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-850-050m-4	0 ~ 50mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-850-070m-4	0 ~ 70mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-850-030m-PM	0 ~ 30mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-850-050m-PM	0 ~ 50mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-850-070m-PM	0 ~ 70mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-850-120m-M	0 ~ 120mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
880nm	WSLS-880-001m-4	0 ~ 1mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-880-001m-PM	0 ~ 1mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-880-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-880-003-M	0 ~ 3W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-880-008-M	0 ~ 8W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-880-010-M	0 ~ 10W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-880-020-M	0 ~ 20W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
905nm	WSLS-905-030m-4	0 ~ 30mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-905-050m-4	0 ~ 50mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-905-070m-4	0 ~ 70mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-905-030m-PM	0 ~ 30mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-905-050m-PM	0 ~ 50mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-905-070m-PM	0 ~ 70mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-905-120m-M	0 ~ 120mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
915nm	WSLS-915-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-915-010-M	0 ~ 10W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-915-020-M	0 ~ 20W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-915-030-M	0 ~ 30W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
940nm	WSLS-940-030m-4	0 ~ 30mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-940-050m-4	0 ~ 50mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-940-080m-4	0 ~ 80mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-940-100m-4	0 ~ 100mW	SMF	5um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-940-030m-PM	0 ~ 30mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-940-050m-PM	0 ~ 50mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-940-080m-PM	0 ~ 80mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
940nm	WSLS-940-100m-PM	0 ~ 100mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-940-200m-M	0 ~ 200mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-940-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-940-010-M	0 ~ 10W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-940-020-M	0 ~ 20W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-940-030-M	0 ~ 30W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
980nm	WSLS-980-010m-4	0 ~ 10mW	SMF	6um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-980-100m-M	0 ~ 100mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-980-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-980-010-M	0 ~ 10W	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○
	WSLS-980-020-M	0 ~ 20W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-980-030-M	0 ~ 30W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1064nm	WSLS-1064-010m-4	0 ~ 10mW	SMF	6um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1064-030m-4	0 ~ 30mW	SMF	6um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1064-050m-4	0 ~ 50mW	SMF	6um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1064-010m-PM	0 ~ 10mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1064-030m-PM	0 ~ 30mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1064-050m-PM	0 ~ 50mW	PMF	5um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1064-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1064-008-M	0 ~ 8W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1064-020-M	0 ~ 20W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1270nm	WSLS-1270-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1270-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1270-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1270-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1290nm	WSLS-1290-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1290-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1290-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1290-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1310nm	WSLS-1310-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1310-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1310-015m-9	0 ~ 15mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1310-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1310-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1310-015m-PM	0 ~ 15mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1310-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1310-003-M	0 ~ 3W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1330nm	WSLS-1330-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
1330nm	WSLS-1330-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1330-005m-9-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1330-010m-9-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1330-001-M	0 ~ 1W	MMF	105um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1330-003-M	0 ~ 3W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1350nm	WSLS-1350-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1350-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1350-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1350-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1370nm	WSLS-1370-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1370-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1370-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1370-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1390nm	WSLS-1390-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1390-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1390-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1390-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1410nm	WSLS-1410-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1410-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1410-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1410-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1430nm	WSLS-1430-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1430-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1430-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1430-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1450nm	WSLS-1450-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1450-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1450-005m-9-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1450-010m-9-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1450-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1450-007-M	0 ~ 7W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1450-010-M	0 ~ 10W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1450-015-M	0 ~ 15W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1470nm	WSLS-1470-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1470-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1470-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1470-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1470-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
1470nm	WSLS-1470-007-M	0 ~ 7W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1470-010-M	0 ~ 10W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1470-015-M	0 ~ 15W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1490nm	WSLS-1490-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1490-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1490-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1490-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1490-002-M	0 ~ 2W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1490-007-M	0 ~ 7W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1490-010-M	0 ~ 10W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1490-015-M	0 ~ 15W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1510nm	WSLS-1510-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1510-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1510-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1510-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1530nm	WSLS-1530-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1530-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1530-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1530-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1530-1500m-M	0 ~ 1.5W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1530-005-M	0 ~ 5W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1550nm	WSLS-1550-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1550-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
1550nm	WSLS-1550-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1550-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1550-1500m-M	0 ~ 1.5W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1550-005-M	0 ~ 5W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1550-010-M	0 ~ 10W	MMF	<400um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1570nm	WSLS-1570-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1570-010m-9	0 ~ 10mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1570-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1570-010m-PM	0 ~ 10mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1570-1500m-M	0 ~ 1.5W	MMF	105um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
	WSLS-1570-005-M	0 ~ 5W	MMF	<300um	90V ~ 240VAC	FC/SMA	A-300	√	○	○
1590nm	WSLS-1590-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1590-008m-9	0 ~ 8mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○


Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	Case Model	TEC	Analog	TTL
1590nm	WSLS-1590-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1590-008m-PM	0 ~ 8mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1610nm	WSLS-1610-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1610-008m-9	0 ~ 8mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1610-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1610-008m-PM	0 ~ 8mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1625nm	WSLS-1625-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1625-008m-9	0 ~ 8mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1625-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1625-008m-PM	0 ~ 8mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1650nm	WSLS-1650-005m-9	0 ~ 5mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1650-008m-9	0 ~ 8mW	SMF	9um	90V ~ 240VAC	FC/SMA	A-100	√	○	○
	WSLS-1650-005m-PM	0 ~ 5mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
	WSLS-1650-008m-PM	0 ~ 8mW	PMF	9um	90V ~ 240VAC	FC/APC	A-100	√	○	○
1920nm	WSLS-1920-400m-M	0 ~ 400mW	MMF	105um	90V ~ 240VAC	FC/SMA	A-200	√	○	○

Note: √:Yes, ○:Optional, x:No.


A100 Package View :

220mm*201mm*87mm



A200 Package View :

280mm*258mm*87mm



A300 Package View :

400mm*370mm*165mm

