

# Kokyo TEST DATA SHEET

Description: SM Patchcord

Part Number:JP-FA-FA-980-250-8-1

Parameters		Center Wavelength	IL	RL
Unit		nm	dB	dB
Specification		980	≤0.50	≥55
Item	S/N	980		
1	21104397		0.48	59
2	21104398		0.37	57
Connector Type			FC/APCx2	
Fiber Type			SM980-16	
Fiber Length(m)			1.0	
Max.Optical Power(mW)			500	
Buffer Type			250um bare fiber	

Package Dimensions:



Tested by: 007



Date: 2021-07-13

# Kokyo TEST DATA SHEET

Description: SM Patchcord

Part Number:JP-FA-FA-980-250-8-1

Parameters		Center Wavelength	IL	RL
Unit		nm	dB	dB
Specification		980	≤0.50	≥55
Item	S/N	980		
1	21104395		0.50	58
2	21104396		0.43	57
Connector Type			FC/APCx2	
Fiber Type			SM980-16	
Fiber Length(m)			1.0	
Max.Optical Power(mW)			500	
Buffer Type			250um bare fiber	

Package Dimensions:



Tested by: 007



Date: 2021-07-13

# Kokyo TEST DATA SHEET

Description: SM Patchcord

Part Number:JP-FA-FA-980-250-8-1

Parameters		Center Wavelength	IL	RL
Unit		nm	dB	dB
Specification		980	$\leq 0.50$	$\geq 55$
Item	S/N			
1	21104399	980	0.39	58
Connector Type			FC/APCx2	
Fiber Type			SM980-16	
Fiber Length(m)			1.0	
Max.Optical Power(mW)			500	
Buffer Type			250um bare fiber	

Package Dimensions:



Tested by: 007



Date: 2021-07-13